

# Use of Bevisto W1 + Bevisto W2 - 2024

One full week Bevisto W1 (Acidic) then one full week Bevisto W2 (Alkaline)

January							
	M	T	W	T	F	S	S
W1	1	2	3	4	5	6	7
W2	8	9	10	11	12	13	14
W1	15	16	17	18	19	20	21
W2	22	23	24	25	26	27	28
W1	29	30	31				

February							
	M	T	W	T	F	S	S
W2				1	2	3	4
W1	5	6	7	8	9	10	11
W2	12	13	14	15	16	17	18
W1	19	20	21	22	23	24	25
W2	26	27	28	29			

March							
	M	T	W	T	F	S	S
W2					1	2	3
W1	4	5	6	7	8	9	10
W2	11	12	13	14	15	16	17
W1	18	19	20	21	22	23	24
W2	25	26	27	28	29	30	31

April							
	M	T	W	T	F	S	S
W2	1	2	3	4	5	6	7
W1	8	9	10	11	12	13	14
W2	15	16	17	18	19	20	21
W1	22	23	24	25	26	27	28
W2	29	30					

May							
	M	T	W	T	F	S	S
W2				1	2	3	4
W1	6	7	8	9	10	11	12
W2	13	14	15	16	17	18	19
W1	20	21	22	23	24	25	26
W2	27	28	29	30	31		

June							
	M	T	W	T	F	S	S
W1						1	2
W2	3	4	5	6	7	8	9
W1	10	11	12	13	14	15	16
W2	17	18	19	20	21	22	23
W1	24	25	26	27	28	29	30

July							
	M	T	W	T	F	S	S
W1	1	2	3	4	5	6	7
W2	8	9	10	11	12	13	14
W1	15	16	17	18	19	20	21
W2	22	23	24	25	26	27	28
W1	29	30	31				

August							
	M	T	W	T	F	S	S
W2				1	2	3	4
W1	5	6	7	8	9	10	11
W2	12	13	14	15	16	17	18
W1	19	20	21	22	23	24	25
W2	26	27	28	29	30	31	

September							
	M	T	W	T	F	S	S
W1	30						1
W1	2	3	4	5	6	7	8
W2	9	10	11	12	13	14	15
W1	16	17	18	19	20	21	22
W2	23	24	25	26	27	28	29

October							
	M	T	W	T	F	S	S
W1		1	2	3	4	5	6
W2	7	8	9	10	11	12	13
W1	14	15	16	17	18	19	20
W2	21	22	23	24	25	26	27
W1	28	29	30	31			

November							
	M	T	W	T	F	S	S
W1					1	2	3
W2	4	5	6	7	8	9	10
W1	11	12	13	14	15	16	17
W2	18	19	20	21	22	23	24
W1	25	26	27	28	29	30	

December							
	M	T	W	T	F	S	S
W1							1
W2	2	3	4	5	6	7	8
W1	9	10	11	12	13	14	15
W2	16	17	18	19	20	21	22
W1	23	24	25	26	27	28	29

Over the years a dual pH system has proven to be more effective than a single pH cleaning system.



Beviston/Germany is REACH compliant and certified by DIN ISO EN 9001 + DIN EN ISO 13485 + CE

[www.biohygiene.com.au](http://www.biohygiene.com.au)